

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European

Directives

1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED):

SYNONYMS:

Wayne's Wax Pro-Gel

CAS#:

Detergent Blend

1.2 PRODUCT USE:

Mixture

1.3 COMPANY NAME:

Hard surface cleaning

ADDRESS:

Wayne's Wax LLC

BUSINESS PHONE:

501 SE 6th Ave #104, Fort Lauderdale, Florida U.S.A. 33301

1-(954) 934-3070

1.4 EMERGENCY PHONE NUMBER:

EMERGENCY PHONE #:

1-800-728-2482

1.5 PREPARATION INFORMATION:

DATE OF CURRENT REVISION:

September 2, 2015

DATE OF LAST REVISION:

August 31, 2015

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is an amber liquid with a characteristic odor.

Health Hazards: Exposure to this product may cause irritation to eyes.

Flammability Hazards: This product is non-flammable.

Reactivity Hazards: None known

Environmental Hazards: The Environmental effects of this product have not been investigated. Release of this product is not expected to have significant adverse effects in the aquatic environment.

US DOT SYMBOLS

EUROPEAN and (GHS) Hazard Symbols



Non-Regulated Material

Signal Word: **WARNING!**

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 231-791-2 This substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 203-961-6 This substance is classified in the Annex VI of Directive 67/548/EEC Index#: 603-096-00-8 EC#

232-304-6 This substance is not classified in the Annex VI of Directive 67/548/EEC

EC# 205-483-3 This substance is classified in the Annex VI of Directive 67/548/EEC Index#: 603-030-00-8

CAS # 68439-46-3 is not classified in the Annex VI of Directive 67/548/EEC

EC# 200-573-9 This substance is classified in the Annex VI of Directive 67/548/EEC Index#: 607-428-00-2

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s) All

Components

2.2 LABEL ELEMENTS:

GHS Hazard Classification(s):

Skin Irritation Category 2

Eye Irritation Category 2

Acute Toxicity Category 4 (Oral, Dermal & Respiratory)

Hazard Statement(s):

Precautionary Statement(s):

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

H315: Causes skin irritation
H319: Causes serious eye irritation
H302: Harmful if swallowed
H312: Harmful in contact with skin
H332: Harmful if inhaled

P264: Wash skin after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves.
P260: Do not breathe dusts or mists.
P271: Use only outdoors or in a well-ventilated area.

Response Statements:

P302+P352 IF ON SKIN: Wash with plenty of water.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash before reuse.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Storage Statements:

P405 Store locked up

Disposal Statements:

P501: Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of exposure for this product are by skin or eye contact.

ACUTE:

INHALATION: Inhalation of mists may be irritating to the respiratory tract.

CONTACT WITH SKIN: Repeated or prolonged contact may cause skin irritation.

EYE CONTACT: Contact may irritate the eyes, resulting in redness or watering.

INGESTION: Ingestion may cause gastrointestinal irritation with nausea and diarrhea.

CHRONIC: None known

TARGET ORGANS: **Acute:** Eyes, Skin, Respiratory **Chronic:** None Known

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification
Water	70-90%	7732-18-5	231-791-2	None
Alcohol Ethoxylate	7-10%	68439-46-3	Not Listed	H319 Eye Irritation 2
Glycol Ether	2-5%	112-34-5	203-961-6	H319 Eye Irritation 2
MEA	1-4%	141-43-5	205-483-3	H302, H312, H332 Acute Tox 4 (Oral, Dermal, Inhalation), H314 Skin Corrosion 1
Tall Oil Fatty Acids	1-5%	8002-26-4	232-304-6	None
EDTA	1-2%	64-02-8	200-573-9	H302 Acute Tox 4 (Oral), H318 Eye Damage 1
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: If product contacts skin, wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Exposure to this product may cause irritation to skin and eyes. Inhalation of fumes/vapors may cause irritation to respiratory system. May be harmful if swallowed with digestive tract irritation, diarrhea and vomiting.

4.3 RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:


Water Spray: Yes Carbon Dioxide: Yes
Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any
 "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:



NFPA RATING SYSTEM HMIS RATING SYSTEM

Incipient fire should wear eye protection. Structural firefighters should wear eye protection. Self-Contained Breathing Apparatus and full equipment. Isolate area. Not yet involved in the fire, protect personnel. Isolate area. Containers from fire can be done without

otherwise, cool with carefully applied water spray. If possible, runoff water from entering storm drains, bodies of water, or environmentally sensitive areas.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			0
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

responders must wear Breathing protective materials fire and Move area if this risk; prevent other

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe hazard

* = Chronic

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See section 8.2 for Exposure Controls.

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 SPILL AND LEAK RESPONSE:

Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing and safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Avoid breathing fumes. Handle in a well-ventilated work area.

7.2 STORAGE AND HANDLING PRACTICES:

Keep in cool, dry, well-ventilated area in closed containers. Protect containers from physical damage.

7.3 SPECIFIC USES:

Hard surface cleaning.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Alcohol Ethoxylate	68439-46-3	Not Listed	Not Listed
Glycol Ether	112-34-5	10 ppm	10 ppm
MEA	141-43-5	Not Listed	Not Listed
Tall Oil Fatty Acids	8002-26-4	5 mg/m ³	5 mg/m ³
EDTA	64-02-8	10 mg/m ³	15 mg/m ³ (dust), 5 mg/m ³ (respr)

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required when using this product. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION Safety glasses or goggles are required where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is an amber liquid. **ODOR:** Characteristic

ODOR THRESHOLD: Not Available

pH: 9.5-10.5

MELTING/FREEZING POINT: Not Available

BOILING POINT: 210-215°F (98.89-101.67°C)

FLASH POINT: Not Available

EVAPORATION RATE (n-BuAc=1): Not Available

FLAMMABILITY (SOLID, GAS): Not Applicable

SAFETY DATA SHEET

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Applicable

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Applicable

Wayne's Wax Pro-Gel

VAPOR DENSITY: Not Applicable

RELATIVE DENSITY: Not Applicable

DENSITY: Not Applicable

SPECIFIC GRAVITY: 1.00-1.05

SOLUBILITY IN WATER: Complete WEIGHT

PER GALLON: Not Available

PARTITION COEFFICIENT (n-octanol/water): Not Applicable

AUTO-IGNITION TEMPERATURE: Not Applicable

DECOMPOSITION TEMPERATURE: Not Available

VISCOSITY: Slight

VOC g/l / Lb/gal: Not Available

9.2 OTHER INFORMATION:

No additional information available.

10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur

10.4 CONDITIONS TO AVOID: None

known

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None

known

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon dioxide, carbon monoxide and phosphorous compounds.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS: TOXICITY

DATA:

Glycol Ether	112-34-5	LD50 Dermal – Rabbit	2674 mg/kg
EDTA	64-02-8	LD50 Oral-Rat	1260 mg/kg

SUSPECTED CANCER AGENT: None of the ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, or suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be irritating to skin or eyes.

SENSITIZATION TO THE PRODUCT: This product is not considered a respiratory system or skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: Eyes, Skin, Respiratory

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: None known

ASPIRATION HAZARD: None

12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No specific data available on this product.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

No specific data available on this product.

12.5 RESULTS OF PBT ANDvPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No specific data available on this product.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.7 WATER ENDANGERMENT CLASS:

Water endangering in accordance with EU Guideline 91/155-EWG. Not determined

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

14.1 PROPER SHIPPING NAME: Non-Regulated Material

14.2 HAZARD CLASS NUMBER and DESCRIPTION: None

14.3 UN IDENTIFICATION NUMBER: None

14.4 PACKING GROUP: None

14.5 DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None

RQ QUANTITY: None

14.6 MARINE POLLUTANT: None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTIONS FOR USER: Avoid exposure

14.8 INTERNATIONAL TRANSPORTION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as dangerous goods.

14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

15.1 UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None

SAFETY DATA SHEET

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are not on the Proposition 65 Lists.

15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

SAFETY DATA SHEET

Wayne's Wax Pro-Gel

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is classified per WHMIS 2015 Controlled Product Regulations.

15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for full Details.

15.4 AUSTRALIAN INFORMATION FOR PRODUCT:

The components of this product are listed on the International Chemical Inventory list.

15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:

The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY:

The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW:

No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed Swiss

Giftlist List of Toxic Substances: Listed

U.S. TSCA: Listed

16. OTHER INFORMATION

PREPARED BY: Chris Eigbrett – **(MSDS to GHS Compliance)**

DATE OF PRINTING: September 2, 2015

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Snyder Manufacturing Corporation assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Snyder Manufacturing Corporation assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.